

لیست قیمت مصرف کننده محصولات کلارنت - مرداد ماه ۱۴۰۲



**CCP-SD6230C-WA**

Price : 10.300.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 2 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-MD6230F-WA**

Price : 8.000.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case, **Built in MIC**



**CCP-SB6530C-WA**

Price : 12.700.000

1/2.8" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, 5.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 2 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-SB6230R-WL**

Price : 7.650.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Plastic Case



**CCP-SB6250L-W**

Price : 9.800.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, 2.0MP  
 DWDR, 3DNR, AWB, BLC,  
 50m Warmlight Length, 6 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6550L-W**

Price : 12.000.000

1/2.5" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 3072(H) × 1728(V) Resolution, 5.0MP **16:9**  
 DWDR, 3DNR, AWB, BLC,  
 50m Warmlight Length, 6 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6550L-WA**

Price : 12.700.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, 5.0MP **16:9**  
 DWDR, 3DNR, AWB, BLC,  
 50m Warmlight Length, 6 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-SB6240U-RL**

Price : 7.650.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, 2.0MP  
 DWDR, 3DNR, AWB, BLC,  
 40m IR Length, 18 SMD LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6230V-W**

Price : 9.510.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6230V-WA**

Price : 10.000.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-SB6230G-D**

Price : 10.400.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight & 40m IR Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6530G-DA**

Price : 13.400.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, 5.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight & 40m IR Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-SB6230N-W**

Price : 9.510.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, 2.0MP  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight Length, 4 Sunny LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-MB6540H-WA**

Price : 13.000.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, 5.0MP  
 DWDR, 3DNR, AWB, BLC,  
 40m Warmlight Length, 4 Power LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-SB6230G-W**

Price : 10.000.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, 2.0MP  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



**CCP-SB6530G-WA**

Price : 13.000.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, 5.0MP  
 DWDR, 3DNR, AWB, BLC,  
 30m Warmlight, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case, **Built in MIC**



**CCP-LB6550T-WA**

Price : 14.600.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, 5.0MP 16:9  
DWDR, 3DNR, AWB, BLC,  
50m Warmlight Length, 4 Power LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case, **Built in MIC**



**CCP-LB6550T-W**

Price : 13.970.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, 5.0MP  
DWDR, 3DNR, AWB, BLC,  
50m Warmlight Length, 4 Power LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6230S-RL**

Price : 7.500.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m IR Length, SMD LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



**CCP-SB6230P-WL**

Price : 7.500.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, 2.0MP  
DWDR, 3DNR, AWB, BLC,  
30m Warmlight Length, 4 Array LED  
OSD Menu by UTC(output 4-in-1)  
IP65, Plastic Case

4CH H.265 1080P-Lite XVR  
Preview Capacity: 4\*1080P-Lite@25fps  
Code Capacity: 4\*1080P-Lite@24fps  
2CH Playback  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers

## AOC

**CXP-4604-Z1**

Price : 18.150.000



4CH H.265 5MP-Lite XVR  
4CH Camera + 1CH IP Camera  
Preview Capacity: 4\*5MP-Lite@20fps  
Code Capacity: 4\*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB 2.0 - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5604-Z1**

Price : 22.500.000



8CH H.265 5MP-Lite XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5608-Z1**

Price : 28.500.000



16CH H.265 5MP-Lite XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
2 SATA HDD Up to 10TB for each port  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5616-Z2**

Price : 49.500.000



4CH H.265 **Real 5MP** XVR  
4CH Camera (Analog & IP)  
Preview Capacity: 4\*5MP@12fps  
Code Capacity: 4\*(5MP@12/4MP@15/1080P@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K** & VGA Video Simultaneous Output  
Analog Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

**SMD  
AOC**

**CXP-7604-Z1/4KL**

Price : 31.000.000



8CH H.265 **4K-Lite & Real 5MP** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*(4K-Lite@15/5MP@12)fps  
Code Capacity: 8\*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K** & VGA Video Simultaneous Output  
Analog Video Output (BNC)  
2 SATA HDD Up to 10TB for each port (Change Adaptor to 12V/5A)  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers

 **SMD  
AOC**

**CXP-7608-Z2/4KL**

Price : 45.500.000





4CH H.265 5MP-Lite XVR  
4CH Camera + 1CH IP Camera  
Preview Capacity: 4\*5MP-Lite@20fps  
Code Capacity: 4\*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB 2.0 - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5604-ZN1**

Price : 22.500.000



8CH H.265 5MP-Lite XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5608-ZN1**

Price : 28.500.000



16CH H.265 5MP-Lite XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5616-ZN1**  
Price : 48.800.000



4CH H.265 Real **5MP** XVR  
4CH Camera (Analog & IP)  
Preview Capacity: 4\*5MP@12fps  
Code Capacity: 4\*(5MP@12/4MP@15/1080P@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K** & VGA Video Simultaneous Output  
Analog Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7604-ZN1/4KL**  
Price : 31.000.000

